



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.02.2024

Version number 7 (replaces version 6)

Revision: 26.02.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name **Servoflex 2.0**

· UFI: **ST12-70M1-Q00Q-A227**

· 1.2 Relevant identified uses of the substance or mixture and uses advised against **none**

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: **Kiesel Bauchemie GmbH & Co. KG
Wolf-Hirth-Str. 2**

D-73730 Esslingen

Tel.: +49(0)711/93134-0

Fax: +49(0)711/93143-140

E-Mail: sida@kiesel.com

· Informing department: **Laboratory, departments of environmental protection and labor protection**

· 1.4 Emergency telephone number: **Poison Information Center Freiburg Tel.: +49(0)761/ 19240
(24h German and English)**

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

· Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05 GHS07

· Signal word

Danger

· Hazard-determining

**components of labelling: Portland Cement
calcium diformate**

(Contd. on page 2)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.02.2024

Version number 7 (replaces version 6)

Revision: 26.02.2024

Trade name Servoflex 2.0

(Contd. of page 1)

- **Hazard statements**
 - H315 Causes skin irritation.
 - H318 Causes serious eye damage.
 - H335 May cause respiratory irritation.
- **Precautionary statements**
 - P102 Keep out of reach of children.
 - P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 - P271 Use only outdoors or in a well-ventilated area.
 - P280 Wear protective gloves / eye protection.
 - P302+P352 IF ON SKIN: Wash with plenty of water.
 - P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 - P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 - P312 Call Product Safety Department if you feel unwell.
 - P332+P313 If skin irritation occurs: Get medical advice/attention.
 - P403+P233 Store in a well-ventilated place. Keep container tightly closed.
 - P405 Store locked up.
 - P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **2.3 Other hazards**

The preparation is low in chromate, therefore there is no risk of sensitisation by chromate. In the ready-to-use form after addition of water, the content of soluble chromium(VI) is at most 0.0002% of the dry mass of the cement contained. A prerequisite for the effectiveness of the chromate reduction is proper dry storage and observance of the expiry date.
- **Results of PBT and vPvB assessment**
 - PBT: Not applicable.
 - vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· **Dangerous components:**

CAS: 14808-60-7	Quarz (SiO ₂) substance with a Community workplace exposure limit	25-<50%
CAS: 65997-15-1	Portland Cement ☠ Eye Dam. 1, H318 ⚠ Skin Irrit. 2, H315; STOT SE 3, H335	25-<50%

(Contd. on page 3)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.02.2024

Version number 7 (replaces version 6)

Revision: 26.02.2024

Trade name Servoflex 2.0

(Contd. of page 2)

CAS: 544-17-2

calcium diformate

≥1-<2.5%

Eye Dam. 1, H318

· Additional information

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information

If you feel unwell, seek medical advice.

· After inhalation

In case of unconsciousness bring patient into stable side position for transport.

Seek medical treatment in case of complaints.

· After skin contact

Instantly wash with water and soap and rinse thoroughly.

· After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor.

· After swallowing

Induce vomiting, only if person affected is fully conscious.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents CO₂, extinguishing powder or water jet. Fight larger fire with alcohol-resistant foam.

Use fire fighting measures that suit the environment.

· For safety reasons unsuitable extinguishing agents

Water with a full water jet.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

· 5.3 Advice for firefighters

· Protective equipment:

Wear non-circulation breathing equipment and chemical-protective clothing. Do not inhale explosion gases or fire fumes.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Not required.

(Contd. on page 4)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 26.02.2024

Version number 7 (replaces version 6)

Revision: 26.02.2024

Trade name Servoflex 2.0

(Contd. of page 3)

- **6.2 Environmental precautions:** *No special measures required.*
- **6.3 Methods and material for containment and cleaning up:** *Use neutralising agent.
Dispose of contaminated material as waste according to item 13.
Collect mechanically.*
- **6.4 Reference to other sections** *See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.*

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** *Thorough dedusting.
Do not leave the container standing open.
Ensure good ventilation/exhaustion at the workplace.
Avoid contact with skin and eyes.
Do not breathe dust.
Breathing apparatus only if aerosol or dust is formed.
protected above to humidity*
- **Information about protection against explosions and fires:** *No special measures required.*
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** *No special requirements.*
- **Information about storage in one common storage facility:** *Not required.*
- **Further information about storage conditions:** *Keep container tightly sealed.*
- **Storage class** *11*
- **7.3 Specific end use(s)** *No further relevant information available.*

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Components with critical values that require monitoring at the workplace:**
- CAS: 14808-60-7 Quarz (SiO₂)**
- BOELV** Long-term value: 0.1* mg/m³
*respirable fraction

(Contd. on page 5)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.02.2024

Version number 7 (replaces version 6)

Revision: 26.02.2024

Trade name Servoflex 2.0

(Contd. of page 4)

· **DNELs**

CAS: 544-17-2 calcium diformate

Oral	Long-term value	23.9 mg/kg/d (Consumer)
Dermal	Short-term value	16.7 mg/cm ² (Worker) 8.3 mg/cm ² (Consumer)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls**

No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures**

Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.
Avoid contact with the skin.
Avoid contact with the eyes and skin.

· **Breathing equipment:**

Suitable respiratory protection for low concentrations or short-term exposure: Particle filter EN 143 type P2 (medium retention capacity (solid and liquid pollutant particles)).
In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.
Breathing apparatus only if aerosol or dust is formed.

· **Hand protection**

Protective gloves.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
Rubber gloves

· **Material of gloves**

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**

Tightly sealed safety glasses.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **Physical state**

Solid.

· **Colour:**

Grey

· **Smell:**

Light

· **Odour threshold:**

Not determined.

(Contd. on page 6)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.02.2024

Version number 7 (replaces version 6)

Revision: 26.02.2024

Trade name Servoflex 2.0

(Contd. of page 5)

· Melting point/freezing point:	Not determined
· Boiling point or initial boiling point and boiling range	2,230 °C (CAS: 14808-60-7 Quartz (SiO₂)) not apply
· Flammability	Not determined.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable
· Decomposition temperature:	Not determined.
· pH at 20 °C	12 (5%)
· Viscosity:	
· Kinematic viscosity at 20 °C	0 s (DIN 53211/4)
· dynamic:	Not applicable.
· Solubility	
· Water:	is setting hydraulically
· Partition coefficient n-octanol/water (log value)	Not determined.
· Steam pressure at 1732 °C:	13.5 hPa (CAS: 14808-60-7 Quartz (SiO₂))
· Density and/or relative density	
· Density at 20 °C	1.8 g/cm³
· Relative density	Not determined.
· Vapour density	Not applicable.
· Particle characteristics	

See section 3.

· 9.2 Other information	
· Appearance:	
· Form:	Powder
· Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
· Solvent content:	
· Solids content:	100.0 %
· Volatile Organic Compounds	0.0 g/l 0.00 %
· Change in condition	
· Evaporation rate	Not applicable.

· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void

(Contd. on page 7)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.02.2024

Version number 7 (replaces version 6)

Revision: 26.02.2024

Trade name Servoflex 2.0

(Contd. of page 6)

- Self-reactive substances and mixtures Void
- Pyrophoric liquids Void
- Pyrophoric solids Void
- Self-heating substances and mixtures Void
- Substances and mixtures, which emit flammable gases in contact with water Void
- Oxidising liquids Void
- Oxidising solids Void
- Organic peroxides Void
- Corrosive to metals Void
- Desensitised explosives Void

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: None known.

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

- LD/LC50 values that are relevant for classification:

CAS: 544-17-2 calcium diformate

Oral	LD50	3,050 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (Rat)
Inhalative	LC50/4 h	>0.67 mg/l (Rat)

- Skin corrosion/irritation Causes skin irritation.
- Serious eye damage/irritation Causes serious eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 8)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.02.2024

Version number 7 (replaces version 6)

Revision: 26.02.2024

Trade name Servoflex 2.0

(Contd. of page 7)

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 544-17-2 calcium diformate

EC50 (48h) >1,000 mg/l (Dap)

· 12.2 Persistence and degradability

No further relevant information available.

· 12.3 Bioaccumulative potential

No further relevant information available.

· 12.4 Mobility in soil

No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

· PBT:

Not applicable.

· vPvB:

Not applicable.

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects

· Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Disposal according to official regulations

· further Notes

Mix product residue with water, allow to harden, then dispose as Construction Waste.

· Uncleaned packagings:

· Recommendation:

Disposal must be made according to official regulations.

(Contd. on page 9)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 26.02.2024

Version number 7 (replaces version 6)

Revision: 26.02.2024

Trade name Servoflex 2.0

(Contd. of page 8)

· **Recommended cleaning agent:** *Water, if necessary with cleaning agent.*

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void
· 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	Not classified as dangerous in the meaning of transport regulations.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances - ANNEX I *None of the ingredients are included*
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
None of the ingredients is listed.
- REGULATION (EU) 2019/1148
- Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
None of the ingredients is listed.
- Annex II - REPORTABLE EXPLOSIVES PRECURSORS
None of the ingredients is listed.

(Contd. on page 10)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 26.02.2024

Version number 7 (replaces version 6)

Revision: 26.02.2024

Trade name Servoflex 2.0

(Contd. of page 9)

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations

· Information about limitation of use:

Employment restrictions concerning young persons must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

· 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. It does not constitute a legal warranty regulations. The delivery specifications are contained in the corresponding product sheet. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Date of previous version: 14.08.2023

· Version number of previous version: 6

· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· * Data compared to the previous version altered.

· Comment

The information is based on our knowledge we do have so far. However it is not a confirmation of productfeatures and does not establish contractual legal relationship. Use, operation and processing are the responsibility of the customer.