



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.09.2022

Version number 4 (replaces version 3)

Revision: 07.09.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name

Bakit EK neu

· UFI:

RAV0-408A-J00C-6YDT

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

none

· Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

· Application of the substance / the mixture

Adhesives

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Kiesel Bauchemie GmbH & Co. KG
Wolf-Hirth-Str. 2

D-73730 Esslingen

Tel.: +49(0)711/93134-0

Fax: +49(0)711/93143-140

E-Mail: sida@kiesel.com

· Informing department:

siehe Hersteller/Lieferant

· 1.4 Emergency telephone number:

Poison Information Center Freiburg Tel.: +49(0)761/ 19240
(24h German and English)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

· 2.2 Label elements

· Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS07

· Signal word

Warning

· Hazard-determining components of labelling:

trimethoxyvinylsilane

· Hazard statements

H317 May cause an allergic skin reaction.

(Contd. on page 2)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.09.2022

Version number 4 (replaces version 3)

Revision: 07.09.2022

Trade name Bakit EK neu

(Contd. of page 1)

- **Precautionary statements**
 - P102** Keep out of reach of children.
 - P261** Avoid breathing dust/fume/gas/mist/vapours/spray.
 - P272** Contaminated work clothing should not be allowed out of the workplace.
 - P280** Wear protective gloves.
 - P302+P352** IF ON SKIN: Wash with plenty of water.
 - P333+P313** If skin irritation or rash occurs: Get medical advice/attention.
 - P501** Dispose of contents/container in accordance with local/regional/national/international regulations.
- **2.3 Other hazards**

Product hydrolyzed to form methanol (CAS NO 67-56-1 .:). Methanol is toxic by inhalation and in contact mitder skin. Methanol causes damage to organs. Methanol is highly flammable.
- **Results of PBT and vPvB assessment**

This mixture does not contain any substance considered to be persistent, bioaccumulative or toxic (PBT) will be. This mixture does not contain any substance that is considered very persistent or very bioaccumulative (vPvB) (if not listed in section 3).
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Dangerous components:**

CAS: 2768-02-7	trimethoxyvinylsilane Consisting of: 67-56-1 methanol (>0.1-<0.3%)	≥1-<2.5%
	Flam. Liq. 3, H226 Acute Tox. 4, H332; Skin Sens. 1B, H317	

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

- **General information** If you feel unwell, seek medical advice.
- **After inhalation** Provide plenty of fresh air.
In case of unconsciousness bring patient into stable side position for transport.
Seek medical treatment in case of complaints.
- **After skin contact** The product is not skin irritating.
Instantly wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for several minutes under running water.

(Contd. on page 3)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.09.2022

Version number 4 (replaces version 3)

Revision: 07.09.2022

Trade name Bakit EK neu

(Contd. of page 2)

- **After swallowing** *In case of persistent symptoms consult doctor.*
- **4.2 Most important symptoms and effects, both acute and delayed** *No further relevant information available.*
- **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** *CO2, extinguishing powder or water jet. Fight larger fire with alcohol-resistant foam.*
- **For safety reasons unsuitable extinguishing agents** *Water with a full water jet.*
- **5.2 Special hazards arising from the substance or mixture** *Formation of poisonous gases during heating or in fires. No further relevant information available.*
- **5.3 Advice for firefighters**
- **Protective equipment:** *Wear non-circulation breathing equipment and chemical-protective clothing. Do not inhale explosion gases or fire fumes.*

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** *Not required.*
- **6.2 Environmental precautions:** *No special measures required.*
- **6.3 Methods and material for containment and cleaning up:** *Take-up with liquid binding material (sand, diatomaceous earth, acid binding agent, universal binding agent). Dispose of contaminated material as waste according to item 13.*
- **6.4 Reference to other sections** *See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.*

EU

(Contd. on page 4)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.09.2022

Version number 4 (replaces version 3)

Revision: 07.09.2022

Trade name Bakit EK neu

(Contd. of page 4)

Sewage Planbt

6.6 mg/l (-)

*The value was determined for the following hydrolysis product:
silane triol*

- **Additional information:** *The lists that were valid during the compilation were used as basis.*
- **8.2 Exposure controls**
- **Appropriate engineering controls** *No further data; see item 7.*
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures** *Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.*
- **Breathing equipment:** *Suitable respiratory protection for low concentrations or short-term exposure: Particle filter EN 143 type P2 (medium retention capacity (solid and liquid pollutant particles)). In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.*
- **Hand protection** *Protective gloves. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation*
- **Material of gloves** *Butyl rubber, BR Recommended hand protection products DIN EN 374*
- **Penetration time of glove material** *The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*
- **Eye/face protection** *Safety glasses recommended during refilling.*

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **Physical state** *Fluid*
- **Colour:** *Beige*
- **Smell:** *Characteristic*
- **Odour threshold:** *Not determined.*
- **Melting point/freezing point:** *Not determined*
- **Boiling point or initial boiling point and boiling range**
- **Flammability** *Not applicable.*
- **Lower and upper explosion limit**
- **Lower:** *Not determined.*
- **Upper:** *Not determined.*
- **Flash point:** *65 °C*

(Contd. on page 6)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.09.2022

Version number 4 (replaces version 3)

Revision: 07.09.2022

Trade name Bakit EK neu

(Contd. of page 5)

· Decomposition temperature:	Not determined.
· pH	Mixture reacts violently with water.
· Viscosity:	
· Kinematic viscosity	Not determined.
· dynamic at 20 °C:	50,000 mPas
· Solubility	
· Water at 20 °C:	1.8 g/l
· Partition coefficient n-octanol/water (log value)	Not determined.
· Steam pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C	1.7 g/cm³
· Relative density	Not determined.
· Settled apparent density	1 kg/m³
· Vapour density	Not determined.

9.2 Other information

· Appearance:	
· Form:	Pasty
· Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
· Solvent content:	
· Organic solvents:	0 %
· Solids content:	66.5 %
· Change in condition	
· Evaporation rate	Not determined.

Information with regard to physical hazard classes

· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void

(Contd. on page 7)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.09.2022

Version number 4 (replaces version 3)

Revision: 07.09.2022

Trade name Bakit EK neu

(Contd. of page 6)

· Desensitised explosives

Void

SECTION 10: Stability and reactivity

- 10.1 Reactivity **No further relevant information available.**
- 10.3 Possibility of hazardous reactions **No dangerous reactions known**
- 10.4 Conditions to avoid **No further relevant information available.**
- 10.5 Incompatible materials: **Reacts with water. Reaction causes the formation of: methanol**
- 10.6 Hazardous decomposition products: **On contact with water (or humidity), small amounts of methanol.**

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity **Based on available data, the classification criteria are not met.**

· LD/LC50 values that are relevant for classification:

CAS: 2768-02-7 trimethoxyvinylsilane

Oral	LD50	7,120-7,236 mg/kg (rat)
Dermal	LD50	3,200 mg/kg (rab)
Inhalative	LC50/4 h	16.8 mg/l (rat)

- Skin corrosion/irritation **Based on available data, the classification criteria are not met.**
- Serious eye damage/irritation **Based on available data, the classification criteria are not met.**
- Respiratory or skin sensitisation **May cause an allergic skin reaction.**
- Germ cell mutagenicity **Based on available data, the classification criteria are not met.**
- Carcinogenicity **Based on available data, the classification criteria are not met.**
- Reproductive toxicity **Based on available data, the classification criteria are not met.**
- STOT-single exposure **Based on available data, the classification criteria are not met.**
- STOT-repeated exposure **Based on available data, the classification criteria are not met.**
- Aspiration hazard **Based on available data, the classification criteria are not met.**
- 11.2 Information on other hazards

· Endocrine disrupting properties

CAS: 870-08-6 dioctyltin oxide

List II

(Contd. on page 8)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.09.2022

Version number 4 (replaces version 3)

Revision: 07.09.2022

Trade name Bakit EK neu

(Contd. of page 7)

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 2768-02-7 trimethoxyvinylsilane

EC50 (48h) 169 mg/l (Dap)

IC 50 210 mg/l (Alge (Selenastrum capricornutum))

LC 50 48h 191 mg/l (Oncorhynchus mykiss (Regenbogenforelle))

NOEC 25 mg/l (Alge (Selenastrum capricornutum))

· 12.2 Persistence and degradability

No further relevant information available.

· 12.3 Bioaccumulative potential

No further relevant information available.

· 12.4 Mobility in soil

No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

· PBT:

Not applicable.

· vPvB:

Not applicable.

· 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

· 12.7 Other adverse effects

· Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Disposal according to official regulations

· European waste catalogue

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

· Uncleaned packagings:

· Recommendation:

Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, ADN, IMDG, IATA

Void

(Contd. on page 9)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.09.2022

Version number 4 (replaces version 3)

Revision: 07.09.2022

Trade name Bakit EK neu

(Contd. of page 8)

· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	Not classified as dangerous in the meaning of transport regulations.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients are included

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 10)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.09.2022

Version number 4 (replaces version 3)

Revision: 07.09.2022

Trade name Bakit EK neu

(Contd. of page 9)

- National regulations
- Information about limitation of use:

Employment restrictions concerning young persons must be observed.
Employment restrictions concerning pregnant and lactating women must be observed.

- 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. It does not constitute a legal warranty regulations. The delivery specifications are contained in the corresponding product sheet.

- Date of previous version: 05.08.2022

- Version number of previous version: 3

- Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 3: Flammable liquids – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1B: Skin sensitisation – Category 1B

- * Data compared to the previous version altered.

- Comment

The information is based on our knowledge we do have so far. However it is not a confirmation of product features and does not establish contractual legal relationship. Use, operation and processing are the responsibility of the customer.