

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.08.2015

Version number 13

Revision: 03.08.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name** Servofix MZ Montagezement
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** none
- **Sector of Use** SU21 Consumer uses: Private households / general public / consumers
SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** Kiesel Bauchemie GmbH & Co. KG
Wolf-Hirth-Str. 2

D-73730 Esslingen

Tel.: +49(0)711/93134-0
Fax: +49(0)711/93143-140
E-Mail: sida@kiesel.com
- **Informing department:** Laboratory, departments of environmental protection and labor protection
- **1.4 Emergency telephone number:** Poison Information Center Freiburg Tel.: +49(0)761/ 19240 (24h German and English)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
-  **GHS05 corrosion**
 Eye Dam. 1 H318 Causes serious eye damage.
-  **GHS07**
 Skin Irrit. 2 H315 Causes skin irritation.
 STOT SE 3 H335 May cause respiratory irritation.
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**
-  **Xi; Irritant**
 R37/38-41: Irritating to respiratory system and skin. Risk of serious damage to eyes.
- **Information concerning particular hazards for human and environment:** The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- **Classification system:** The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS05 GHS07
- **Signal word** Danger
- **Hazard-determining components of labelling:** Portland Cement

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.08.2015

Version number 13

Revision: 03.08.2015

Trade name Servofix MZ Montagezement

(Contd. of page 1)

- **Hazard statements**
 - H315 Causes skin irritation.
 - H318 Causes serious eye damage.
 - H335 May cause respiratory irritation.
- **Precautionary statements**
 - P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 - P280 Wear protective gloves.
 - P280 Wear eye protection / face protection.
 - P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 - P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 - P332+P313 If skin irritation occurs: Get medical advice/attention.
 - P302+P352 IF ON SKIN: Wash with plenty of water.
 - P403+P233 Store in a well-ventilated place. Keep container tightly closed.
 - P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:** Mixtur of special cements and loading materials

- **Dangerous components:**

Portland Cement	 Xi R37/38-41  Eye Dam. 1, H318  Skin Irrit. 2, H315; STOT SE 3, H335	50-100%
Calcium Aluminate Cement	 Xi R36/38  Skin Irrit. 2, H315; Eye Irrit. 2, H319	10-<20%

- **Additional information** Have also a look to point 8 "Exposure controls and personal protection"
For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information** If you feel unwell, seek medical advice.
- **After inhalation**
 - Do not breathe dust.
 - Supply fresh air.
 - Seek medical treatment in case of complaints.
 - In case of unconsciousness bring patient into stable side position for transport.
- **After skin contact**
 - If skin irritation continues, consult a doctor.
 - Remove contaminated clothing immediately and clean the skin with soap and water.
 - Instantly wash with water and soap and rinse thoroughly.
- **After eye contact**
 - Seek medical treatment.
 - Rinse opened eye for several minutes under running water. Then consult doctor.
- **After swallowing**
 - Rinse out mouth and then drink plenty of water.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.08.2015

Version number 13

Revision: 03.08.2015

Trade name Servofix MZ Montagezement

(Contd. of page 2)

- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents
- 5.2 Special hazards arising from the substance or mixture
- 5.3 Advice for firefighters
- Protective equipment:

The product itself does not burn.

Formation of toxic gases is possible during heating or in case of fire.

Usually no personal breathing equipment required.
Wear non-circulation breathing equipment and chemical-protective clothing. Do not inhale explosion gases or fire fumes.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
- 6.2 Environmental precautions:
- 6.3 Methods and material for containment and cleaning up:
- 6.4 Reference to other sections

Ensure adequate ventilation

Avoid causing dust.

Respirator must be worn if exposed to dust.

Do not allow product to reach sewage system or water bodies.

Inform respective authorities in case product reaches water or sewage system.

Collect mechanically.

hardened after contact with water

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling
- Information about protection against explosions and fires:
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and containers:
- Information about storage in one common storage facility:
- Further information about storage conditions:
- 7.3 Specific end use(s)

Do not leave the container standing open.

Prevent formation of dust.

Avoid contact with skin and eyes.

Do not breathe dust.

Breathing apparatus only if aerosol or dust is formed.
protected above to humidity

No special measures required.

protected above to humidity in closing rooms

Store only in the original container.

No incompatible products to be specially mentioned

Keep away from food and drink.

Keep container tightly sealed.

No further relevant information available.

GB

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.08.2015

Version number 13

Revision: 03.08.2015

Trade name Servofix MZ Montagezement

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.

- 8.1 Control parameters

- Components with critical values that require monitoring at the workplace:

Portland Cement

WEL Long-term value: 10* 4** mg/m³
*inhalable dust **respirable dust

- Additional information: * = total dust
The lists that were valid during the compilation were used as basis.

- 8.2 Exposure controls

- Personal protective equipment
- General protective and hygienic measures

Do not eat or drink while working.
Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.
Avoid contact with the skin.
Avoid contact with the eyes and skin.

- Breathing equipment: No personal respiratory protective equipment normally required.
Breathing apparatus only if aerosol or dust is formed.
Filter P1.
In case of brief exposure or low pollution use breathing filter apparatus.
In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

- Protection of hands: Protective gloves.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Tightly sealed safety glasses.

- Body protection: long sleeved clothing

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties

- General Information

- Appearance:

Form: Powder

Colour: Dark

• Smell: Odourless

• Odour threshold: Not determined.

• pH-value at 20 °C: 11.5

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.08.2015

Version number 13

Revision: 03.08.2015

Trade name Servofix MZ Montagezement

(Contd. of page 4)

· Change in condition	
Melting point/Melting range:	1450 °C (Sinterb.)
Boiling point/Boiling range:	not apply
· Flash point:	Not applicable
· Inflammability (solid, gaseous)	Not determined.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Self-inflammability:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive.
· Critical values for explosion:	
Lower:	Not determined.
Upper:	Not determined.
· Steam pressure:	Not applicable.
· Density at 20 °C	2 g/cm ³
· Settled apparent density at 20 °C	1000 kg/m ³
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with Water:	is setting hydraulically
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
· Solvent content:	n. a. %
· Organic solvents:	0.0 %
· Solids content:	100 %
· 9.2 Other information	The physical data are average values.

SECTION 10: Stability and reactivity

· 10.1 Reactivity	No further relevant information available.
· 10.3 Possibility of hazardous reactions	No dangerous reactions known
· 10.4 Conditions to avoid	No further relevant information available.
· 10.5 Incompatible materials:	No decomposition if stored and applied as directed.
· 10.6 Hazardous decomposition products:	none under normal use

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects	
· Acute toxicity	
· Primary irritant effect:	
· Skin corrosion/irritation	Causes skin irritation.
· Serious eye damage/irritation	Causes serious eye damage.
· Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.08.2015

Version number 13

Revision: 03.08.2015

Trade name Servofix MZ Montagezement

(Contd. of page 5)

- **Experience with humans:** *If appropriately handled and if in accordance with the general hygienic rules, no damages to health have become known.
The product contains cement. In combination with humidity the product provokes an alkaline reaction.
May cause eye/skin irritation.*
- **Additional toxicological information:** *According to concentration, aqueous solution causes irritations or burns of eyes, skin and mucous membranes.*
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)** *Based on available data, the classification criteria are not met.*
- **Germ cell mutagenicity** *Based on available data, the classification criteria are not met.*
- **Carcinogenicity** *Based on available data, the classification criteria are not met.*
- **Reproductive toxicity** *Based on available data, the classification criteria are not met.*
- **STOT-single exposure** *May cause respiratory irritation.*
- **STOT-repeated exposure** *Based on available data, the classification criteria are not met.*
- **Aspiration hazard** *Based on available data, the classification criteria are not met.*

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** *No further relevant information available.*
- **12.2 Persistence and degradability** *No further relevant information available.*
- **12.3 Bioaccumulative potential** *No further relevant information available.*
- **12.4 Mobility in soil** *No further relevant information available.*
- **Ecotoxicological effects:** *only by unintentional binding with much material and water is a highly pH-value possible*
- **Additional ecological information:**
- **General notes:** *Ecological injuries are not known or expected under normal use.
Water hazard class 1 (Self-assessment): slightly hazardous for water.
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms.
In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.*
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*
- **12.6 Other adverse effects** *No further relevant information available.*

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
 - **Recommendation** *Disposal according to official regulations*
 - **further Notes** *Mix product residue with water, allow to harden, then dispose as Construction Waste.*
- | | |
|-----------------------------------|-----------------|
| • European waste catalogue | |
| 17 01 01 | concrete |
- **Uncleaned packagings:**
 - **Recommendation:** *Empty containers should be taken for local recycling, recovery or waster disposal.*
 - **Recommended cleaning agent:** *Water, if necessary with cleaning agent.*

GB

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.08.2015

Version number 13

Revision: 03.08.2015

Trade name Servofix MZ Montagezement

(Contd. of page 6)

SECTION 14: Transport information

- | | |
|---|-----------------|
| • 14.1 UN-Number | |
| • ADR, ADN, IMDG, IATA | Void |
| • 14.2 UN proper shipping name | |
| • ADR, ADN, IMDG, IATA | Void |
| • 14.3 Transport hazard class(es) | |
| • ADR, ADN, IMDG, IATA | |
| • Class | Void |
| • 14.4 Packing group | |
| • ADR, IMDG, IATA | Void |
| • 14.5 Environmental hazards: | |
| • Marine pollutant: | No |
| • 14.6 Special precautions for user | Not applicable. |
| • 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| • UN "Model Regulation": | Void |

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Directive 2012/18/EU
 - Named dangerous substances - ANNEX I
 - National regulations
 - Technical instructions (air):
 - Class Share in %
 - Water hazard class:
 - Other regulations, limitations and prohibitive regulations
 - 15.2 Chemical safety assessment:
- None of the ingredients is listed.
- n.a.
- Water hazard class 1 (Self-assessment): slightly hazardous for water.
-
-
- A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Chapters which have been revised from the previous issue are marked "***".

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

(n.a. - not applicable, n.d. - not determined)

This information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. It does not constitute a legal warranty regulations. The delivery specifications are contained in the corresponding product sheet.

- Relevant phrases
- H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
.....
R36/38 Irritating to eyes and skin.
R37/38 Irritating to respiratory system and skin.
R41 Risk of serious damage to eyes.

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.08.2015

Version number 13

Revision: 03.08.2015

Trade name Servofix MZ Montagezement

(Contd. of page 7)

• *Department issuing data
specification sheet:*

• *Abbreviations and acronyms:*

Health protection and safety

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

• *Comment*

The information is based on our knowledge we do have so far. However it is not a confirmation of product features and does not establish contractual legal relationship. Use, operation and processing are the responsibility of the customer.

GB